



OPEN 🗟 ACCESS

common value close to zero, and a roughly linear decrease to 90° .

Crystal structure of (*E*)-4-hydroxy-*N*'-(3-hydroxybenzylidene)benzohydrazide monohydrate

William T. A. Harrison,^a* John Nicolson Low^a and James L. Wardell^{a,b}

^aDepartment of Chemistry, University of Aberdeen, Meston Walk, Aberdeen AB24 3UE, Scotland, and ^bFioCruz-Fundação Oswaldo Cruz, Instituto de Tecnologia em Fármacos-Far-Manguinhos, Rua Sizenando Nabuco, 100, Manguinhos, 21041-250 Rio de Janeiro, RJ, Brazil. *Correspondence e-mail: w.harrison@abdn.ac.uk

Received 21 May 2014; accepted 22 May 2014

Edited by H. Stoeckli-Evans, University of Neuchâtel, Switzerland

In the title benzohydrazide hydrate, $C_{14}H_{12}N_2O_3 \cdot H_2O$, the dihedral angle between the aromatic rings is 58.11 (6)° and the C=O and N-H groups adopt an *anti* orientation. The main twist in the molecule occurs about the C(=O)-C_{ar} (ar = aromatic) bond, with an N-C(=O)-C_{ar}-C_{ar} torsion angle of -43.5 (2)°. In the crystal, the components are linked by N-H···O, O-H···N and O-H···O hydrogen bonds. These interactions generate [101] chains, with adjacent organic molecules linked by inversion symmetry generating either pairs of N-H···O links [$R_2^2(16)$ loops] or pairs of O-H···O links [$R_2^2(20)$ loops]. Pairs of water molecules are located in the $R_2^2(20)$ loops and form their own O-H···O and O-H···N hydrogen bonds to adjacent organic molecules in the chain. Finally, an interchain O-H···O hydrogen-bond link from the 4-hydroxy group generates (010) sheets.

Keywords: crystal structure; benzohydrazide; hydrate; hydrogen bonding.

CCDC reference: 1004470

1. Related literature

For a related structure, see: Fun *et al.* (2011). A survey of the Cambridge Structural Database (Version 5.35 of November 2013; Allen, 2002) revealed no fewer than 581 distinct benzohydrazide fragments with different substituents on the aromatic rings and/or other chemical species in the crystal: all bond lengths for the central fragment of the title compound lie close to the mean values for these structures. The only parameter in the metrical survey that shows significant variation is the dihedral angle between the aromatic rings, with the most



2. Experimental

2.1. Crystal data

 $\begin{array}{l} C_{14}H_{12}N_2O_3\cdot H_2O\\ M_r = 274.27\\ Triclinic, \ P\overline{1}\\ a = 7.1826 \ (5) \ \mathring{A}\\ b = 9.2043 \ (6) \ \mathring{A}\\ c = 10.7568 \ (7) \ \mathring{A}\\ \alpha = 91.847 \ (7)^\circ\\ \beta = 102.433 \ (7)^\circ \end{array}$

2.2. Data collection

Rigaku Saturn CCD diffractometer 8728 measured reflections 2962 independent reflections

2.3. Refinement $R[F^2 > 2\sigma(F^2)] = 0.044$ $wR(F^2) = 0.105$ S = 1.062962 reflections 196 parameters 2038 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.049$

 $\gamma = 110.191 \ (8)^{\circ}$

Z = 2

 $V = 647.37 (7) \text{ Å}^3$

Mo Ka radiation

 $0.09 \times 0.05 \times 0.02 \; \text{mm}$

 $\mu = 0.11 \text{ mm}^{-1}$

T = 100 K

H atoms treated by a mixture of
independent and constrained
refinement
$\Delta \rho_{\rm max} = 0.27 \ {\rm e} \ {\rm \AA}^{-3}$
$\Delta \rho_{\rm min} = -0.28 \text{ e } \text{\AA}^{-3}$

Table 1Hydrogen-bond geometry (Å, °).

$D - H \cdot \cdot \cdot A$	D-H	$H \cdots A$	$D \cdots A$	$D - \mathbf{H} \cdot \cdot \cdot A$
$N1 - H1N \cdots O1^{i}$	0.922 (18)	2.044 (19)	2.9357 (19)	162.2 (16)
$O1-H1O\cdots O4^{ii}$	0.92 (2)	1.68 (2)	2.6025 (18)	172.6 (17)
O3−H3O···O2 ⁱⁱⁱ	0.92(2)	1.83 (2)	2.7512 (17)	178.1 (17)
$O4-H1W \cdot \cdot \cdot N2$	0.86(2)	2.16(2)	3.018 (2)	172.5 (19)
$O4-H2W \cdot \cdot \cdot O2^{iii}$	0.89 (2)	1.98 (2)	2.8676 (17)	170.5 (18)
Symmetry codes: -r - v + 1 - z + 1	(i) $-x + 1$	-y + 1, -z;	(ii) $-x, -y +$	-1, -z; (iii)

Data collection: *CrystalClear* (Rigaku, 2010); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012); software used to prepare material for publication: *SHELXL97*.

Acknowledgements

The authors thank the National Crystallography Service (University of Southampton) for the data collection.

Supporting information for this paper is available from the IUCr electronic archives (Reference: SU0006).

References

Allen, F. H. (2002). Acta Cryst. B58, 380-388.

- Farrugia, L. J. (2012). J. Appl. Cryst. **45**, 849–854. Fun, H.-K., Horkaew, J. & Chantrapromma, S. (2011). Acta Cryst. E**67**, o2644– 02645.
- Rigaku (2010). *CrystalClear*. Rigaku Inc., Tokyo, Japan. Sheldrick, G. M. (2008). *Acta Cryst*. A64, 112–122.

supporting information

Acta Cryst. (2014). E70, o891-o892 [doi:10.1107/S1600536814011908]

Crystal structure of (*E*)-4-hydroxy-*N*'-(3-hydroxybenzylidene)benzohydrazide monohydrate

William T. A. Harrison, John Nicolson Low and James L. Wardell

S1. Synthesis and crystallization

Equimolar quantities of 4-hydroxybenzohydrazide and 3-hydroxybenzaldehyde were refluxed in ethanol for several hours and then cooled to room temperature. Colourless chips of the title compound were obtained by slow evaporation of the solvent at room temperature after several days.

S2. Refinement

O- and N-bound H atoms were located in difference Fourier maps and their positions were freely refined. C-bound H atoms were placed in idealized positions (C—H = 0.93 Å) and refined as riding atoms. The constraint $U_{iso}(H) = 1.2U_{eq}(\text{carrier})$ was applied in all cases.



Figure 1

A view of the asymmetric unit of the title compound, showing the atom-labelling scheme. Displacement ellipsoids are drawn at the 50% probability level.



Figure 2

A fragment of a $[10\overline{1}]$ chain in the structure of the title compound, with hydrogen bonds shown as double-dashed lines, showing the $R_2^2(16)$ loops and $R_2^2(20)$ loops between adjacent organic molecules (see Table 2 for details of the hydrogen bonding and the symmetry codes).



Figure 3

A histogram of dihedral angles between the aromatic rings of benzohydrazide structures in the Cambridge Structural Database (Version 5.35; Allen, 2002).

(E)-4-Hydroxy-N'-(3-hydroxybenzylidene)benzohydrazide monohydrate

Z = 2
F(000) = 288
$D_{\rm x} = 1.407 {\rm ~Mg} {\rm ~m}^{-3}$
Mo <i>K</i> α radiation, $\lambda = 0.71073$ Å
Cell parameters from 6867 reflections
$\theta = 3.1 - 27.5^{\circ}$
$\mu=0.11~\mathrm{mm^{-1}}$
T = 100 K
Chip, colourless
$0.09 \times 0.05 \times 0.02 \text{ mm}$

Data collection

 Rigaku Saturn CCD diffractometer Radiation source: fine-focus sealed tube Graphite monochromator ω scans 8728 measured reflections 2962 independent reflections 	2038 reflections with $I > 2\sigma(I)$ $R_{int} = 0.049$ $\theta_{max} = 27.5^{\circ}, \ \theta_{min} = 3.1^{\circ}$ $h = -9 \rightarrow 9$ $k = -11 \rightarrow 11$ $l = -13 \rightarrow 13$
Refinement	
Refinement on F^2 Least-squares matrix: full $R[F^2 > 2\sigma(F^2)] = 0.044$ $wR(F^2) = 0.105$ S = 1.06 2962 reflections 196 parameters 0 restraints Primary atom site location: structure-invariant direct methods	Secondary atom site location: difference Fourier map Hydrogen site location: inferred from neighbouring sites H atoms treated by a mixture of independent and constrained refinement $w = 1/[\sigma^2(F_o^2) + (0.0374P)^2 + 0.144P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{max} < 0.001$ $\Delta\rho_{max} = 0.27$ e Å ⁻³ $\Delta\rho_{min} = -0.28$ e Å ⁻³

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes. **Refinement**. Refinement of F^2 against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on F^2 , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating *R*-factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. *R*-factors based on F^2 are statistically about twice as large as those based on *F*, and *R*- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (A^2)

	x	У	Ζ	$U_{ m iso}$ */ $U_{ m eq}$	
C1	0.2487 (2)	0.51249 (18)	0.02953 (16)	0.0151 (4)	
H1	0.2596	0.6145	0.0499	0.018*	
C2	0.2488 (2)	0.46303 (18)	-0.09366 (16)	0.0149 (4)	
H2	0.2560	0.5306	-0.1564	0.018*	
C3	0.2379 (2)	0.31187 (19)	-0.12226 (15)	0.0140 (4)	
C4	0.2225 (2)	0.20863 (19)	-0.02998 (16)	0.0150 (4)	
H4	0.2163	0.1077	-0.0499	0.018*	
C5	0.2167 (2)	0.25738 (18)	0.09144 (16)	0.0145 (4)	
H5	0.2022	0.1879	0.1527	0.017*	
C6	0.2325 (2)	0.41045 (18)	0.12303 (15)	0.0133 (4)	
C7	0.2265 (3)	0.45636 (18)	0.25514 (16)	0.0140 (4)	
C8	0.5163 (3)	0.77584 (19)	0.48276 (16)	0.0164 (4)	
H8	0.6243	0.8109	0.4432	0.020*	
C9	0.5316 (3)	0.85792 (18)	0.60520 (16)	0.0145 (4)	
C10	0.3753 (3)	0.80721 (18)	0.66983 (16)	0.0148 (4)	
H10	0.2637	0.7159	0.6379	0.018*	

C11	0.3865 (3)	0.89243 (18)	0.78093 (16)	0.0154 (4)	
C12	0.5575 (3)	1.02744 (18)	0.83137 (16)	0.0158 (4)	
H12	0.5659	1.0846	0.9066	0.019*	
C13	0.7134 (3)	1.07503 (18)	0.76867 (16)	0.0162 (4)	
H13	0.8278	1.1638	0.8029	0.019*	
C14	0.7017 (3)	0.99231 (18)	0.65541 (16)	0.0167 (4)	
H14	0.8066	1.0262	0.6132	0.020*	
N1	0.3623 (2)	0.59830 (16)	0.30909 (13)	0.0156 (3)	
H1N	0.469 (3)	0.647 (2)	0.2723 (17)	0.019*	
N2	0.3584 (2)	0.65697 (15)	0.42830 (13)	0.0153 (3)	
01	0.24457 (19)	0.25851 (13)	-0.24143 (11)	0.0173 (3)	
H1O	0.195 (3)	0.309 (2)	-0.3059 (19)	0.021*	
O2	0.10482 (18)	0.37043 (13)	0.31151 (11)	0.0177 (3)	
O3	0.23698 (19)	0.84893 (14)	0.84718 (12)	0.0198 (3)	
H3O	0.125 (3)	0.776 (2)	0.7930 (18)	0.024*	
O4	-0.0770 (2)	0.61780 (16)	0.42664 (13)	0.0236 (3)	
H1W	0.047 (3)	0.624 (2)	0.4329 (19)	0.028*	
H2W	-0.101 (3)	0.615 (2)	0.505 (2)	0.028*	

Atomic displacement parameters $(Å^2)$

	U^{11}	U^{22}	U ³³	U^{12}	U ¹³	U^{23}
C1	0.0145 (8)	0.0140 (8)	0.0159 (9)	0.0042 (7)	0.0031 (7)	0.0012 (7)
C2	0.0147 (9)	0.0163 (8)	0.0138 (9)	0.0055 (7)	0.0035 (7)	0.0049 (7)
C3	0.0122 (8)	0.0206 (8)	0.0095 (8)	0.0067 (7)	0.0024 (6)	0.0007 (7)
C4	0.0157 (9)	0.0157 (8)	0.0140 (9)	0.0073 (7)	0.0021 (7)	0.0004 (7)
C5	0.0147 (8)	0.0154 (8)	0.0127 (9)	0.0047 (7)	0.0028 (7)	0.0046 (7)
C6	0.0117 (8)	0.0173 (8)	0.0111 (8)	0.0056 (7)	0.0021 (6)	0.0014 (6)
C7	0.0149 (8)	0.0163 (8)	0.0129 (9)	0.0081 (7)	0.0029 (7)	0.0024 (7)
C8	0.0164 (9)	0.0175 (8)	0.0164 (9)	0.0062 (7)	0.0057 (7)	0.0025 (7)
C9	0.0171 (9)	0.0139 (8)	0.0116 (9)	0.0058 (7)	0.0017 (7)	0.0015 (6)
C10	0.0164 (9)	0.0138 (8)	0.0124 (9)	0.0040 (7)	0.0019 (7)	0.0011 (7)
C11	0.0166 (9)	0.0168 (8)	0.0150 (9)	0.0076 (7)	0.0050 (7)	0.0048 (7)
C12	0.0194 (9)	0.0151 (8)	0.0120 (9)	0.0067 (7)	0.0014 (7)	-0.0009(7)
C13	0.0159 (9)	0.0133 (8)	0.0167 (9)	0.0042 (7)	0.0001 (7)	0.0017 (7)
C14	0.0155 (9)	0.0174 (8)	0.0176 (9)	0.0062 (7)	0.0041 (7)	0.0055 (7)
N1	0.0175 (8)	0.0176 (7)	0.0117 (7)	0.0043 (6)	0.0071 (6)	0.0008 (6)
N2	0.0207 (8)	0.0176 (7)	0.0091 (7)	0.0081 (6)	0.0051 (6)	-0.0002 (6)
01	0.0219 (7)	0.0225 (6)	0.0098 (6)	0.0104 (5)	0.0044 (5)	0.0018 (5)
O2	0.0195 (7)	0.0190 (6)	0.0136 (6)	0.0039 (5)	0.0068 (5)	0.0010 (5)
O3	0.0181 (7)	0.0203 (6)	0.0164 (7)	0.0001 (5)	0.0070 (5)	-0.0041 (5)
04	0.0222 (7)	0.0391 (8)	0.0145 (7)	0.0154 (6)	0.0069 (6)	0.0081 (6)

Geometric parameters (Å, °)

C1—C2	1.387 (2)	C9—C14	1.394 (2)
C1—C6	1.394 (2)	C9—C10	1.399 (2)
С1—Н1	0.9300	C10—C11	1.380 (2)

C2—C3	1.387 (2)	С10—Н10	0.9300
C2—H2	0.9300	C11-O3	1 3685 (19)
$C_{3} = 01$	1 3743 (19)	$C_{11} - C_{12}$	1.3003(13)
$C_3 C_4$	1.3743(17) 1 301 (2)	C_{12} C_{13}	1.401(2)
C_{1}	1.391(2) 1.381(2)	C12 H12	0.0300
$C_4 = C_3$	1.381(2)	C12 $C12$ $C14$	1.297(2)
	0.9300	C12_U12	1.387(2)
C5C6	1.398 (2)		0.9300
	0.9300	C14—H14	0.9300
	1.483 (2)	NI—N2	1.3847 (18)
C7—02	1.2404 (19)	NI—HIN	0.922 (18)
C7—N1	1.350 (2)	01—H10	0.92 (2)
C8—N2	1.281 (2)	O3—H3O	0.92 (2)
C8—C9	1.461 (2)	O4—H1W	0.86 (2)
С8—Н8	0.9300	O4—H2W	0.89 (2)
C2-C1-C6	120.52 (15)	С14—С9—С8	119.08 (15)
C2—C1—H1	119.7	С10—С9—С8	121.08 (14)
С6—С1—Н1	119.7	C11—C10—C9	120.12 (15)
C3—C2—C1	119.34 (15)	C11—C10—H10	119.9
С3—С2—Н2	120.3	С9—С10—Н10	119.9
C1—C2—H2	120.3	O3—C11—C10	122.49 (15)
Q1—C3—C2	121.75 (15)	O3—C11—C12	117.45 (15)
01	117.34 (15)	C10-C11-C12	120.05 (15)
$C^2 - C^3 - C^4$	120.90(15)	C_{13} C_{12} C_{11}	119 56 (15)
$C_{2} = C_{3} = C_{1}$	119 41 (15)	C13 - C12 - H12	120.2
$C_5 - C_4 - H_4$	120.3	C11_C12_H12	120.2
$C_3 C_4 H_4$	120.3	C_{12} C_{13} C_{14}	120.2
C_{4} C_{5} C_{6}	120.5 120.53(15)	$C_{12} = C_{13} = C_{14}$	110.6
C4 = C5 = U5	120.35 (13)	C12 - C13 - H13	119.0
C4 - C5 - H5	119.7	C12 - C14 - C0	119.0
C6C5H5	119.7	C13 - C14 - C9	119.56 (15)
C1 - C6 - C5	119.25 (15)	C13-C14-H14	120.2
	122.63 (15)	C9—C14—H14	120.2
C5—C6—C7	118.11 (15)	C/—N1—N2	119.60 (14)
O2—C7—N1	122.60 (15)	C7—N1—H1N	119.1 (11)
O2—C7—C6	122.25 (14)	N2—N1—H1N	120.5 (11)
N1—C7—C6	115.15 (14)	C8—N2—N1	114.82 (14)
N2—C8—C9	121.91 (15)	C3—O1—H1O	112.8 (11)
N2—C8—H8	119.0	С11—О3—НЗО	106.5 (11)
С9—С8—Н8	119.0	H1W—O4—H2W	108.6 (18)
C14—C9—C10	119.79 (15)		
C6-C1-C2-C3	-1.7 (2)	N2	1.6 (3)
C1—C2—C3—O1	-177.71 (15)	C14—C9—C10—C11	1.9 (3)
C1—C2—C3—C4	1.4 (2)	C8—C9—C10—C11	-175.61 (16)
O1—C3—C4—C5	179.58 (14)	C9—C10—C11—O3	179.33 (16)
C2—C3—C4—C5	0.4 (2)	C9—C10—C11—C12	-1.9 (3)
C3—C4—C5—C6	-2.0 (2)	O3—C11—C12—C13	179.29 (16)
C2—C1—C6—C5	0.2 (2)	C10-C11-C12-C13	0.5 (3)
	× /		× /

supporting information

C2—C1—C6—C7	-178.43 (15)	C11—C12—C13—C14	1.0 (3)
C4—C5—C6—C1	1.7 (2)	C12—C13—C14—C9	-1.0 (3)
C4—C5—C6—C7	-179.64 (15)	C10—C9—C14—C13	-0.4 (3)
C1—C6—C7—O2	136.31 (18)	C8—C9—C14—C13	177.13 (15)
C1—C6—C7—N1	-43.5 (2)	C6—C7—N1—N2	175.08 (14)
C5—C6—C7—N1	137.90 (16)	C9—C8—N2—N1	176.21 (15)
N2—C8—C9—C14	-175.95 (16)	C7—N1—N2—C8	166.42 (16)

Hydrogen-bond geometry (Å, °)

D—H···A	D—H	H···A	D···A	<i>D</i> —H··· <i>A</i>
N1—H1N····O1 ⁱ	0.922 (18)	2.044 (19)	2.9357 (19)	162.2 (16)
01—H1 <i>0</i> ···O4 ⁱⁱ	0.92 (2)	1.68 (2)	2.6025 (18)	172.6 (17)
O3—H3 <i>O</i> ···O2 ⁱⁱⁱ	0.92 (2)	1.83 (2)	2.7512 (17)	178.1 (17)
O4—H1 <i>W</i> ···N2	0.86 (2)	2.16 (2)	3.018 (2)	172.5 (19)
O4—H2 <i>W</i> ···O2 ⁱⁱⁱ	0.89 (2)	1.98 (2)	2.8676 (17)	170.5 (18)

Symmetry codes: (i) -*x*+1, -*y*+1, -*z*; (ii) -*x*, -*y*+1, -*z*; (iii) -*x*, -*y*+1, -*z*+1.